

**Commonwealth of Kentucky  
Natural Resources and Environmental Protection Cabinet  
Department for Environmental Protection  
Division for Air Quality  
803 Schenkel Lane  
Frankfort, Kentucky 40601  
(502) 573-3382**

**STATE ORIGIN  
AIR QUALITY PERMIT**

**Permittee Name:** Vulcan Construction Materials, L.P.  
**Mailing Address:** P.O. Box 7, Knoxville, Tennessee 37901

**is authorized to construct and operate a limestone crushing operation**

**Source Name:** Richmond Road Quarry  
**Mailing Address:** Same as above  
**Source Location:** 7313 Elk Lick Falls Road, Lexington, Kentucky

**KYEIS ID #:** 21-067-00039  
**SIC Code:** 1422

**Region:** Bluegrass  
**County:** Fayette

**Permit Number:** S-01-014 (Revised)  
**Log Number:** 53708  
**Permit Type:** Construction/Operating

**Issuance Date:** January 16, 2001  
**Revision Date:** July 30, 2001  
**Expiration Date:** January 16, 2011

---

**John E. Hornback, Director  
Division for Air Quality**

## **SECTION A - PERMIT AUTHORIZATION**

Pursuant to a duly submitted application which was determined to be complete on May 9, 2001, the Kentucky Division for Air Quality hereby authorizes the construction and operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify an affected facility without first having submitted a complete application and receiving a permit for the planned activity from the Division, except as provided in this permit or in Regulation 401 KAR 52:040, State-origin permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining other permits, licenses, or approvals that may be required by the Cabinet or other federal, state, or local agency.

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS**

**NEW PLANT**

- 01 (C-7) Conveyor and Transfer Points (36'' To Surge Stockpile)**
  - (-) Stockpile (Surge)**
- (C-10) Conveyor and Transfer Points (24'' To 3 1/2''x2'' Stockpile)**
  - (-) Stockpile (3 1/2''x2'')**
  - (-) Truck Loadout (3 1/2''x2'')**
- (C-9) Conveyor and Transfer Points (24'' To 2''x1 1/8'' Stockpile)**
  - (-) Stockpile (2''x1 1/8'')**
  - (-) Truck Loadout (2''x1 1/8'')**
- (C-11) Conveyor and Transfer Points (36'' To 10''x2'' Stockpile)**
  - (-) Stockpile (10''x2'')**
  - (-) Truck Loadout (10''x2'')**
- (C-21) Conveyor and Transfer Points (24'' Radial Stacker To 68's Stockpile)**
  - (-) Stockpile (68's)**
  - (-) Truck Loadout (68's)**
- (C-19) Conveyor and Transfer Points (24'' Radial Stacker To 10's Stockpile)**
  - (-) Stockpile (10's)**
  - (-) Truck Loadout (10's)**
- (C-23) Conveyor and Transfer Points (24'' Radial Stacker To 57's Stockpile)**
  - (-) Stockpile (57's)**
  - (-) Truck Loadout (57's)**
- (C-25) Conveyor and Transfer Points (24'' Radial Stacker To 9's Stockpile)**
  - (-) Stockpile (9's)**

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

- 01**      (-)              **Truck Loadout (9's)**
- (C-30)            **Conveyor and Transfer Points (24" Radial Stacker To Sand Stockpile)**
- (-)              **Stockpile (Sand)**
- (-)              **Truck Loadout (Sand)**
- (C-31)            **Conveyor and Transfer Points (30" Radial Stacker To Base Surge Stockpile)**
- (-)              **Stockpile (Base Surge)**
- (10)             **Pug Mill (Wet Process – No Emissions)**
- (-)              **Truck Loadout (Pug Mill) (Wet Process – No Emissions)**
- 03**      (-)              **Haul Road and Yard Area (Unpaved)**

**EXISTING PLANT**

- 04**      (-)              **Receiving Hopper**
- (1)              **Primary Crusher (Allis Chalmers Impactor)  
(Maximum Rated Capacity- 350 tons/hour)**
- (4)              **Conveyor and Transfer Points (36"x300')**
- (9)              **Stockpile (Surge)**
- (13)             **Conveyor and Transfer Points (24"x150')**
- (10)             **Stockpile (Base)**
- (-)              **Storage Bin (DGA, 2'S)**
- (-)              **Storage Bin (DGA, 2'S)**
- (-)              **Storage Bin (DGA, 2'S)**
- (16)             **Conveyor and Transfer Points (36"x100')**
- (-)              **Truck Loadout (DGA, 2's)**
- (-)              **Truck Loadout (DGA, 2's)**

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

- 04**      (-)              **Truck Loadout (DGA, 2's)**
- (-)              **Stockpile (2's)**
- (-)              **Truck Loadout (2's)**
- (-)              **Stockpile (DGA)**
- (-)              **Truck Loadout (DGA)**
- (-)              **Storage Bin (68's)**
- (-)              **Storage Bin (9's)**
- (-)              **Storage Bin (Ag Lime)**
- (-)              **Truck Loadout (68's)**
- (-)              **Truck Loadout (9's)**
- (-)              **Truck Loadout (Ag Lime)**
- (-)              **Stockpile (68's)**
- (-)              **Truck Loadout (68's)**
- (-)              **Stockpile (9's)**
- (-)              **Truck Loadout (9's)**
- (-)              **Stockpile (Ag Lime)**
- (-)              **Truck Loadout (Ag Lime)**
- (-)              **Storage Bin (4's)**
- (-)              **Truck Loadout (4's)**
- (-)              **Stockpile (4's)**
- (-)              **Truck Loadout (4's)**
- 05**      (1)              **Conveyor and Transfer Points (42''x30')**
- (2)              **Conveyor and Transfer Points (36''x521')**

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

- |           |             |  |
|-----------|-------------|--|
| <b>05</b> | <b>(3)</b>  | <b>Conveyor and Transfer Points (36''x291')</b>  |
|           | <b>(5)</b>  | <b>Conveyor and Transfer Points (36''x190')</b>  |
|           | <b>(6)</b>  | <b>Conveyor and Transfer Points (42''x216')</b>  |
|           | <b>(7)</b>  | <b>Conveyor and Transfer Points (36''x115')</b>  |
|           | <b>(-)</b>  | <b>Conveyor and Transfer Points (36''x161')</b>  |
|           | <b>(8)</b>  | <b>Conveyor and Transfer Points (30''x109')</b>  |
|           | <b>(9)</b>  | <b>Conveyor and Transfer Points (30''x148')</b>  |
|           | <b>(10)</b> | <b>Conveyor and Transfer Points (24''x71')</b>   |
|           | <b>(11)</b> | <b>Conveyor and Transfer Points (24''x72')</b>   |
| <b>06</b> | <b>(5)</b>  | <b>Screen (4'x12' Double Deck)<br/>(Maximum Rated Capacity- 350 tons/hour)</b>           |
| <b>07</b> | <b>(6)</b>  | <b>Screen (6'x16' Triple Deck)<br/>(Maximum Rated Capacity- 100 tons/hour)</b>           |
|           | <b>(7)</b>  | <b>Screen (6'x16' Triple Deck)<br/>(Maximum Rated Capacity- 100 tons/hour)</b>           |
| <b>08</b> | <b>(2)</b>  | <b>Secondary Crusher (Telesmith 4' Cone)<br/>(Maximum Rated Capacity- 325 tons/hour)</b> |

**WET SCREEN OPERATION**

- |           |             |   |
|-----------|-------------|---|
| <b>09</b> | <b>(12)</b> | <b>Conveyor and Transfer Points (24''x154')</b>                                     |
| <b>10</b> | <b>(8)</b>  | <b>Screen (Seco 5'x14' Double Deck)<br/>(Maximum Rated Capacity- 350 tons/hour)</b> |
| <b>11</b> | <b>(-)</b>  | <b>Storage Bin (Washed 68's)</b>  |
|           | <b>(-)</b>  | <b>Storage Bin (Washed 9's)</b>   |
|           | <b>(-)</b>  | <b>Truck Loadout (Washed 68's)</b>  |
|           | <b>(-)</b>  | <b>Truck Loadout (Washed 9's)</b>   |

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

- 11      (-)              Stockpile (Washed 68's)
- (-)              Stockpile (Washed 68's)
- (-)              Truck Loadout (Washed 68's)
- (-)              Truck Loadout (Washed 68's)
- (-)              Stockpile (Washed 9's)
- (-)              Truck Loadout (Washed 9's)

**PUG MILL OPERATION**

- 12      (14)              Conveyor and Transfer Points (30''x58')
- (15)              Conveyor and Transfer Points (30''x70')
- 13      (-)              Pug Mill (Bogie 6 Yard) (Wet Process – No Emissions)  
                                 (Maximum Rated Capacity- 400 tons/hour)
- (-)              Pug Mill Truck Loadout (Wet Process – No Emissions)
- 15      (-)              Conveyor and Transfer Points (24''x100')

**Applicable Regulations :**

State Regulation 401 KAR 63:010, Fugitive emissions, applies to each of the affected facilities listed above.

**1.      Operating Limitations :**

N/A

**2.      Emission Limitations :**

The materials processed at each affected facility listed above shall be controlled with either wet suppression and/or enclosures so as to comply with the requirements specified in State Regulation 401 KAR 63:010, Fugitive emissions, Section 3. Standards for fugitive emissions.

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

**2. Emission Limitations :**

**Compliance Demonstration Method:**

See Section C, General Condition F.1.

**3. Testing Requirements:**

See Section C, General Condition G.3.

**4. Monitoring Requirements:**

See Section C, General Condition F.1.

**5. Recordkeeping Requirements:**

See Section C, General Conditions B.1., B.2., and F.1.

**6. Reporting Requirements:**

See Section C, General Conditions C.1, C.2, C.3., F.2., and G.2.

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)****NEW PLANT**

- 02**      **(1)**              **Screen (Vibratory Grizzly Feeder)**  
**(Maximum Rated Capacity- 700 tons/hour)**
- (2)**              **Primary Crusher (Jaw)**  
**(Maximum Rated Capacity- 500 tons/hour)**
- (C-1)**            **Conveyor and Transfer Points (36" To Conveyor C-2)**
- (C-2)**            **Conveyor and Transfer Points (36" To Conveyor C-3)**
- (C-3)**            **Conveyor and Transfer Points (36" To Conveyor C-4)**
- (C-4)**            **Conveyor and Transfer Points (36" To Conveyor C-5)**
- (C-5)**            **Conveyor and Transfer Points (36" To Conveyor C-6)**
- (C-6)**            **Conveyor and Transfer Points (36" To Conveyor C-7)**
- (C-8)**            **Conveyor and Transfer Points (36" Tunnel To Screen 3)**
- (3)**              **Screen (6'x16' Triple Deck)**  
**(Maximum Rated Capacity- 500 tons/hour)**
- (C-13)**          **Conveyor and Transfer Points (36" From Screen 3 To BN-1)**
- (BN-1)**          **Storage Bin (From Conveyor C-13)**
- (4)**              **Secondary Crusher (HP 400 Cone)**  
**(Maximum Rated Capacity- 500 tons/hour)**
- (C-15)**          **Conveyor and Transfer Points (36" To Screens 7 and 8)**
- (7)**              **Screen (6'x20' Triple Deck)**  
**(Maximum Rated Capacity- 300 tons/hour)**
- (C-22)**          **Conveyor and Transfer Points (24" From Screen 7 To C-23))**
- (8)**              **Screen (6'x20' Triple Deck)**  
**(Maximum Rated Capacity- 300 tons/hour)**
- (C-20)**          **Conveyor and Transfer Points (24" From Screen 8 To C-21))**
- (C-24)**          **Conveyor and Transfer Points (24" From Screens 7 and 8 To C-25)**

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

- 02      (C-18)      Conveyor and Transfer Points (24" From Screens 7 and 8 To C-19)
- (C-16)      Conveyor and Transfer Points (24" From Screens 7 and 8 To C-17)
- (C-17)      Conveyor and Transfer Points (24" From Conveyor C-16 To BN-2 and BN-3)
- (BN-3)      Storage Bin (From Conveyor C-17)
- (6)          Tertiary Crusher (Short Head Cone)  
(Maximum Rated Capacity- 200 tons/hour)
- (BN-2)      Storage Bin (From Conveyor C-17)
- (5)          Tertiary Crusher (Short Head Cone)  
(Maximum Rated Capacity- 200 tons/hour)
- (C-14)      Conveyor and Transfer Points (30" From Screen 3 to Conveyor C-15)
- (C-28)      Conveyor and Transfer Points (24" From Screen 8 To C-29)
- (C-29)      Conveyor and Transfer Points (24" From Conveyor C-28 To Wash Screw)
- (9)          Conveyor and Transfer Points (Wash Screw To Conveyor C-30)  
(Wet Process – No Emissions)
- (C-26)      Conveyor and Transfer Points (24" From Screen 7 To C-27)
- (C-27)      Conveyor and Transfer Points (24" From Conveyor C-12)
- (C-12)      Conveyor and Transfer Points (30" From Conveyor C-27 To C-31)
- (BN-4)      Storage Bin (Lime To Conveyor C-33)
- (C-33)      Conveyor and Transfer Points (24" From Storage Bin BN-4 To C-34)
- (C-34)      Conveyor and Transfer Points (24" From Conveyor C-32)
- (C-32)      Conveyor and Transfer Points (36" Tunnel To Pug Mill)

**EXISTING PLANT**

- 16      (19)      Conveyor and Transfer Points (36" To Secondary Crusher 3)

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

**16 (3) Secondary Crusher (VSI)  
(Maximum Rated Capacity- 325 tons/hour)**

**(20) Conveyor and Transfer Points (36" From Secondary Crusher 3)**

**Applicable Regulations:**

State Regulation 401 KAR 60:670, New nonmetallic mineral processing plants (40 CFR 60, Subpart OOO as modified by Section 3 of 401 KAR 60:670), applies to each of the affected facilities listed above.

**1. Operating Limitations:**

N/A

**2. Emission Limitations:**

a) Fugitive emissions from the primary crusher, emission point 02 (2); the two secondary crushers, emission points 02 (4) and 16 (3); and the two tertiary crushers, emission points 02 (6) and (5), shall not exhibit greater than fifteen percent (15%) opacity, each, as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(c)).

b) Fugitive emissions from the four storage bins, emission points 02 (BN-1), (BN-3), (BN-2), and (BN-4); the four screens, emission points 02 (1), (3), (7), and (8); and the twenty seven conveyor and transfer points, emission points 02 (C-1), (C-2), (C-3), (C-4), (C-5), (C-6), (C-8), (C-13), (C-15), (C-22), (C-20), (C-24), (C-18), (C-16), (C-17), (C-14), (C-28), (C-29), (9), (C-26), (C-27), (C-12), (C-33), (C-34), (C-32), 16 (19) and (20), shall not exhibit greater than ten percent (10%) opacity, each, as specified in State Regulation 401 KAR 60:670 (40 CFR 60.672(b)).

**Compliance Demonstration Method:**

In determining compliance with the opacity standards as listed above, the owner or operator shall use Method 9 and the procedures as described in 40 CFR 60.11 and 40 CFR 60.675(c).

**3. Testing Requirements:**

See Section C, General Condition G.3.

**4. Monitoring Requirements:**

See Section C, General Condition F.1.

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

**5. Recordkeeping Requirements:**

See Section C, General Conditions B.1., B.2., and F.1.

**6. Reporting Requirements:**

See Section C, General Conditions C.1., C.2., C.3., F.2., and G.2.

## SECTION C - GENERAL CONDITIONS

### A. Administrative Requirements

1. The permittee shall comply with all conditions of this permit. Noncompliance shall be a violation of Regulation 401 KAR 52:040, Section 3(1)(b) and is grounds for enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
2. This permit shall remain in effect for a fixed term of ten (10) years following the original date of issue, January 16, 2001. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:040, Section 15]
3. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [Material incorporated by reference by 401 KAR 52:040, Section 1a, 11]
4. Pursuant to materials incorporated by reference by 401 KAR 52:040, the permit contained herein may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition. [Material incorporated by reference by 401 KAR 52:040, Section 1a, 4 and 5]
5. The permit does not convey property rights or exclusive privileges. [Material incorporated by reference by 401 KAR 52:040, Section 1a, 8].
6. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 52:040 Section 11(3)]
7. The permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in State Regulation 401 KAR 50:038, Air emissions fee. Source shall submit an annual emissions certification pursuant to 401 KAR 52:040, Section 20.
8. All previously issued construction and operating permits are hereby subsumed into this permit.

## **SECTION C - GENERAL CONDITIONS (CONTINUED)**

### **B. Recordkeeping Requirements**

1. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of at least five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality. [Material incorporated by reference by 401 KAR 52:040, Section 1b, IV. 2) and 401 KAR 52:040 Section 3(1)(f)]
2. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official pursuant to State Regulation 401 KAR 52:040, Section 21.

### **C. Reporting Requirements**

1.
  - a. In accordance with the provisions of Regulation 401 KAR 50:055, Section 1 the owner or operator shall notify the Division for Air Quality's Frankfort Regional Office concerning startups, shutdowns, or malfunctions as follows:
    1. When emissions during any planned shutdowns and ensuing startups will exceed the standards notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
    2. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards notification shall be made as promptly as possible by telephone (or other electronic media) and shall cause written notice upon request.
  - b. In accordance with the provisions of Material incorporated by reference by 401 KAR 52:040, Section 1b, V. 3), the owner or operator shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition 1 a) above), the probable cause of the deviation, and corrective or preventive measures taken; to the Division for Air Quality's Frankfort Regional Office.
2. The permittee shall furnish information requested by the cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or compliance with the permit. [Material incorporated by reference by 401 KAR 52:040, Section 1a, 6].
3. Summary reports of any monitoring required by this permit shall be reported to the Division's Frankfort Regional Office at least every six months during the life of this permit, unless otherwise stated in this permit. The reports are due within 30 days after the end of each six month reporting period. The initial issuance date of this permit establishes the beginning of the first reporting period. The permittee may shift to semi-annual reporting on a calendar year basis upon approval of the regional office. If calendar year reporting is approved, the semi-annual reports are due January 30<sup>th</sup> and July 30<sup>th</sup> of each year. All reports shall be certified by a responsible official pursuant to 401 KAR 52:040, section 21. All deviations from permit requirements shall be clearly identified in the reports.

## **SECTION C - GENERAL CONDITIONS (CONTINUED)**

### **D. Inspections**

1. In accordance with the requirements of 401 KAR 52:040, Section 3(1)(f) the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times:
  - a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation;
  - b. To access and copy any records required by the permit;
  - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit. Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency;
  - d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements.

Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency.

### **E. Emergencies/Enforcement Provisions**

1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [Material incorporated by reference by 401 KAR 52:040, Section 1a, 3].
2. An emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or relevant evidence that:
  - a. An emergency occurred and the permittee can identify the cause of the emergency;
  - b. The permitted facility was at the time being properly operated;
  - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
  - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
3. Emergency provisions listed in General Condition E.2 are in addition to any emergency or upset provision contained in an applicable requirement.
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof.

## SECTION C - GENERAL CONDITIONS (CONTINUED)

### F. Compliance

1. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
  - a. Pursuant to State Regulation 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by State Regulation 401 KAR 50:055, Section 1.
  - b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and non routine maintenance performed on each control device.
  - c. A log of the monthly raw material consumption and monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program (spread sheets), calculations or performance tests as may be specified by the Division.
2. Pursuant to 401 KAR 52:040, Section 19, the permittee shall annually complete and return a Compliance Certification Form (DEP 7007CC) to the Division's Frankfort Regional Office in accordance with the following requirements:
  - a. Identification of the term or condition;
  - b. Compliance status of each term or condition of the permit;
  - c. Whether compliance was continuous or intermittent;
  - d. The method used for determining the compliance status for the source, currently and over the reporting period; and
  - e. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the following addresses:

Division for Air Quality	Division for Air Quality
Frankfort Regional Office	Central Files
643 Teton Trail, Suite B	803 Schenkel Lane
Frankfort, KY 40601-1758	Frankfort, KY 40601
3. Permit Shield - A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with all applicable requirements for:
  - a. Applicable requirements included and specifically identified in the permit; or
  - b. Non-applicable requirements expressly identified in this permit.

**SECTION C - GENERAL CONDITIONS (CONTINUED)****G. New Construction Requirements:**

1. Pursuant to 401 KAR 52:040, Section 12(3), unless construction is commenced on or before 18 months after the date of issue of this permit, or if construction is commenced and then stopped for any consecutive period of 18 months or more, or is not completed within a reasonable timeframe then the construction and operating authority granted by this permit for those affected facilities for which construction was not completed shall immediately become invalid. Upon a written request, the cabinet may extend these time periods if the source shows good cause.
2. Pursuant to 401 KAR 52:040, Section 12(4)(a) and 401 KAR 59:005, General provisions, Section 3(1), within 30 days following construction commencement, within 15 days following start-up and attainment of maximum production rate, or within 15 days following the issuance date of this permit, whichever is later, the owner and/or operator of the affected facilities specified on this permit shall furnish to the Division's Frankfort Regional Office, with a copy to the Division's Frankfort Central Office, the following:
  - a. Date when construction commenced, (See General Condition G.1).
  - b. Start-up date of each of the affected facilities listed on this permit.
  - c. Date when maximum production rate was achieved, (See General Condition G.3.b).
  - d. Summary reports, as referenced in Section C, C.3., of any monitoring required by this permit, for emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report, shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.
  - e. The annual compliance certification, as referenced in Section C, F.3., for an emissions unit that was still under construction or which had not commenced operation at the end of the 12-month period covered by the compliance certification, shall indicate that the unit was under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
3.
  - a. Pursuant to 401 KAR 59:005, General provisions, Section 2(1), this permit shall allow time for the initial start-up, operation and compliance demonstration of the affected facilities listed herein. However, within 60 days after achieving the maximum production rate at which the affected facilities will be operated, but not later than 180 days after initial start-up of such facilities, the owner or operator shall demonstrate compliance to a duly authorized representative of the Division.
  - b. Pursuant to 401 KAR 59:005, General provisions, Section 3(1)(b), unless notification and justification to the contrary are received by this Division, the date of achieving the maximum production rate at which the affected facilities will be operated shall be deemed to be 30 days after initial start-up.
4. Operation of the affected facilities authorized by this permit shall not commence until compliance with applicable standards specified herein has been demonstrated in accordance with the requirements of 401 KAR 52:040, Section 12(4)(b).